

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|---------------------|
| L6 | 130 | ((switch OR toggle OR select\$4) WITH (compass) WITH (position\$3 OR range OR camera)) AND power AND control\$4 AND compass AND position\$3 AND range AND camera | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L7 | 353 | ((switch OR toggle OR select\$4) WITH (compass) WITH (position\$3 OR range OR camera)) AND power AND control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L8 | 522 | ((switch OR toggle) WITH (compass)) AND power AND control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L9 | 718 | ((switch OR toggle) WITH (compass)) AND control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L10 | 292626 | ((switch OR toggle) WITH (compass OR position)) AND control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L11 | 16 | ((power ADJ switch) WITH compass) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L12 | 1 | ((power ADJ switch) WITH compass) AND (power ADJ control \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| L13 | 132 | (compass SAME laser SAME position \$3) AND camera AND display\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L14 | 174 | (compass SAME laser SAME position \$3) AND camera | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L15 | 364 | compass SAME laser SAME position \$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L16 | 4 | (laser ADJ sight) AND camera AND compass AND position\$3 AND (power WITH control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L17 | 0 | (laser ADJ sight) AND camera AND compass AND position\$3 AND (power WITH control\$4 WITH asynchronous\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L18 | 0 | (laser ADJ site) AND camera AND compass AND position\$3 AND (power WITH control\$4 WITH asynchronous\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L19 | 3 | imag\$3 AND measur \$5 AND display\$3 AND switch\$3 AND stor\$3 AND position \$3 AND (power WITH control\$4 WITH asynchronous \$4) AND compass | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L20 | 184 | imag\$3 AND measur \$5 AND display\$3 AND switch\$3 AND stor\$3 AND position \$3 AND (power WITH control\$4 WITH asynchronous \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| L21 | 2 | imag\$3 AND measur \$5 AND display\$3 AND switch\$3 AND stor\$3 AND compass AND laser AND position\$3 AND (power WITH control\$4 WITH asynchronous\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L22 | 0 | "L17" AND compass AND laser AND position\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L23 | 95 | (monostable SAME (control\$4 WITH power) SAME process\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L24 | 17 | (monostable WITH control\$4 WITH power WITH process\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L25 | 723 | (monostable WITH control\$4 WITH power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L26 | 32502 | monostable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L27 | 2352 | ((hand ADJ held) OR handheld) AND ((spatial OR tilt OR orientation OR 3D OR (three ADJ dimension\$3) OR ("3" ADJ dimension \$3)) ADJ sens\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L28 | 167 | ((spatial ADJ sensor) AND (tilt OR orientation OR (3D OR (three ADJ dimension\$3) OR ("3" ADJ dimension \$3))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |

| | | | | | | |
|-----|---------|---|---|----|----|---------------------|
| L29 | 155 | (spatial ADJ sensor) AND (tilt OR orientation) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L30 | 88 | L29 AND site | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L31 | 77 | ((3D OR (three ADJ dimension\$3) OR ("3" ADJ dimension \$3)) ADJ sensor) AND (tilt OR orientation) AND site | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L32 | 407 | ((3D OR (three ADJ dimension\$3) OR ("3" ADJ dimension \$3)) ADJ sensor) AND (tilt OR orientation) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L33 | 230 | spatial ADJ sensors | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L34 | 2412700 | spatial ADJ sensors | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L35 | 232 | ((asynchron\$5 NEAR3 switch\$3) WITH power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L36 | 0 | L35 AND measur\$5 AND camera AND ((spa\$4 ADJ sens \$3) OR (distance ADJ meter\$3) OR GPS OR (global ADJ position\$3 ADJ system) OR (orientat\$3 ADJ sensor)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| L37 | 2408 | ((((asynchron\$5 OR independent) NEAR3 switch\$3) WITH power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L38 | 75 | L37 AND measur\$5 AND camera AND ((spa\$4 OR distance OR GPS OR (global ADJ position\$3 ADJ system) OR orientat\$3) AND sens\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L39 | 70 | L37 AND measur\$5 AND camera AND ((spac\$3 ADJ sens\$3) OR distance OR GPS OR (global ADJ position\$3 ADJ system) OR orientat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L40 | 3 | L37 AND measur\$5 AND camera AND ((spac\$3 ADJ sens\$3) OR (distance ADJ meter\$3) OR GPS OR (global ADJ position\$3 ADJ system) OR (orientat\$3 ADJ sensor)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L41 | 0 | L35 AND camera AND ((spac\$3 ADJ sens\$3) OR (distance ADJ meter\$3) OR GPS OR (global ADJ position\$3 ADJ system) OR (orientat\$3 ADJ sensor)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L42 | 0 | L35 AND measur\$5 AND camera AND ((spac\$3 ADJ sens\$3) OR (distance ADJ meter\$3) OR GPS OR (global ADJ position\$3 ADJ system) OR (orientat\$3 ADJ sensor)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| L43 | 70 | measur\$5 AND camera AND ((spac \$3 ADJ sens\$3) OR (distance ADJ meter \$3) OR GPS OR (global ADJ position \$3 ADJ system) OR (orientat\$3 ADJ sensor)) AND ((power NEAR2 control\$4) WITH relay) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L44 | 335 | measur\$5 AND camera AND ((spac \$3 ADJ sens\$3) OR (distance ADJ meter \$3) OR GPS OR (global ADJ position \$3 ADJ system) OR (orientat\$3 ADJ sensor)) AND ((power NEAR2 control\$4) WITH switch\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L45 | 886 | measur\$5 AND camera AND ((spac \$3 ADJ sens\$3) OR (distance ADJ meter \$3) OR GPS OR (global ADJ position \$3 ADJ system) OR (orientat\$3 ADJ sensor)) AND (power WITH switch \$3 WITH control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L46 | 21 | measur\$5 AND camera AND (spac \$3 ADJ sens\$3) AND (power WITH switch\$3 WITH control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |
| L47 | 21 | measur\$3 AND camera AND (spac \$3 ADJ sens\$3) AND (power WITH switch\$3 WITH control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/21 18:40 |

EAST Search History (I nterference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
|-------|------|--------------|-----|------------------|---------|------------|

| | | | | | | |
|----|------|--|----------------|----|-----|------------------|
| L1 | 73 | ((702/150) or (382/286)).CCLS. | UPAD | OR | OFF | 2009/08/21 18:28 |
| L3 | 1152 | ((hand ADJ held) OR handheld) AND ((spatial OR tilt OR orientation OR 3D OR (three ADJ dimension\$3) OR ("3" ADJ dimension \$3)) ADJ sens\$3) | USPAT; UPAD | OR | ON | 2009/08/21 18:29 |
| L4 | 374 | measur\$5 AND camera AND ((spac \$3 ADJ sens\$3) OR (distance ADJ meter \$3) OR GPS OR (global ADJ position \$3 ADJ system) OR (orientat\$3 ADJ sensor)) AND (power WITH switch \$3 WITH control\$4) | USPAT; UPAD | OR | ON | 2009/08/21 18:29 |
| L5 | 25 | measur\$5 AND camera AND ((spac \$3 ADJ sens\$3) OR (distance ADJ meter \$3) OR GPS OR (global ADJ position \$3 ADJ system) OR (orientat\$3 ADJ sensor)) AND ((power NEAR2 control\$4) WITH relay) | USPAT; UPAD | OR | ON | 2009/08/21 18:30 |

8/ 21/ 09 6:52:38 PM

C:\Documents and Settings\MBaran\My Documents\EAST\Workspaces\Cases\10522291.wsp